engineering fracture mechanics

List of Contents and Author Index
Volume 52, 1995

PERGAMON

engineering fracture mechanics

An International Journal

EDITOR-IN-CHIEF
PROFESSOR HAROLD LIEBOWITZ

c/o A.E.R.D.C.O.
P.O. Box 25736
Washington, DC 20007-8736, U.S.A.

EDITORIAL ADVISORY BOARD

PROFESSOR S. N. ATLURI
Georgia, U.S.A.
DR. ZDENEK BILEK
Brno, Czech Republic
PROFESSOR BRUNO A. BOLEY
New York, U.S.A.
DR. DAVID BROEK
Ohio, U.S.A.
PROFESSOR JANNE CARLSSON
Stockholm, Sweden
PROFESSOR G. P. CHEREPANOV
Florida, U.S.A.
PROFESSOR H. T. CORTEN
Illinois, U.S.A.
DR. THEODOR GAYMANN
Munich, Germany
DR. GEORGE T. HAHN
Tennessee, U.S.A.
PROFESSOR GEORGE HERRMANN
California, U.S.A.
PROFESSOR D. L. JONES
Washington, D.C., U.S.A.
PROFESSOR HIROSHI KIHARA
Tokyo, Japan
DR. J. M. KRAFFT
Virginia, U.S.A.
PROFESSOR JAMES D. LEE
Washington, D.C., U.S.A.
PROFESSOR FRANK A. McCLINTOCK
Massachusetts, U.S.A.
PROFESSOR A. J. McEVILY
Connecticut, U.S.A.
PROFESSOR JAROSLAV NEMEC
Prague, Czech Republic
DR. NICHOLAS PERRONE
Maryland, U.S.A.
DR. J. SCHIJVE
Delft, The Netherlands
DR. WALTER SCHUTZ
Ottobrunn, Germany
PROFESSOR GEORGE C. SIH
Pennsylvania, U.S.A.
PROFESSOR JANN N. YANG
California, U.S.A.
PROFESSOR TAKEO YOKOBORI
Utsunomiya, Japan

Production Editor: Mary Ker, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England (Tel (01865) 843000; Telex 83177; Fax (01865) 843010; e-mail z.wilcock@elsevier.co.uk).

Publishing, Subscription and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England; or Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Subscription Rates
Annual Institutional Subscription Rates 1996: North, Central and South America, U.S.$2544.00, rest of the world, £1600.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Second class postage paid at Newark, New Jersey and additional entry points. Engineering Fracture Mechanics (ISSN 0013-7944) is published monthly, January to December plus additional issues in January, March, May, July, September and November by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $2544.00

Engineering Fracture Mechanics is distributed by Virgin Mailing and Distribution, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: Please send address corrections to Engineering Fracture Mechanics, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Published Monthly plus Additional Issues in January, March, May, July, September and November (Three Volumes 1995). Subscription enquiries from customers in North America should be sent to Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. and for the remainder of the world to Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.

Back Issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science offices.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Copyright © 1995 Elsevier Science Ltd

The cover picture was taken by Dr Erwin Sommer in his studies at the Ernst Mach Institute in Freiburg, Germany, in work under the direction of Dr F. Kerkhof. Dr Sommer is Director of Fraunhofer-Institut Fuer Werkstoffmechanik, Rosastraße, 9, 7800 Freiburg, Germany.

List of Contents

NUMBER 1

H. Noguchi and **R. A. Smith**	1	An analysis of a semi-infinite solid with three-dimensional cracks
H. Huang, X. H. Zhu, Q. K. Huang and **X. Z. Hu**	15	Weibull strength distributions and fracture characteristics of abrasive materials
J. Sarkar, M. L. Ghosh and **S. C. Mandal**	25	Inplane problem of diffraction of elastic waves by a periodic array of coplanar Griffith cracks
Xiaoxue Diao	33	A statistical equation of damage evolution
Y. A.-H. Mashal	43	The role of fracture mechanics parameters in glass/ceramic wear
P. E. O'Donoghue, S. N. Atluri and **D. S. Pipkins**	51	Computational strategies for fatigue crack growth in three dimensions with application to aircraft components
Won-Kyun Lim and **Chang-Soo Lee**	65	Evaluation of stress intensity factors for a crack normal to bimaterial interface using isoparametric finite elements
S. Faanes	71	Inclined cracks in fretting fatigue
Yeon-Sheng Yang, Sheng-Long Lee and **Bor-Tyng Lan**	83	Elastic behavior of dislocation dipoles near a blunt crack
D.-H. Chen	95	Force and dislocation in an anisotropic semi-infinite plate joined to an isotropic semi-infinite plate
T. S. Srivatsan, W. O. Soboyejo and **M. Strangwood**	107	Cyclic fatigue and fracture behavior of a gamma-titanium aluminide intermetallic
T. K. Paul	121	Plane stress mixed mode fatigue crack propagation
T. K. Paul	139	Stresses in a thin centrally cracked circular disk
M. R. Bayoumi, A. A. Ismail and **A. K. Abd-El-Latif**	155	Towards understanding the role of pittings in fatigue behavior of plain carbon steels
Y. Z. Chen	173	Solution of circular cracked plate problem by using Bueckner's weight function formulation
V. V. Panasyuk, O. P. Datsyshyn and **H. P. Marchenko**	179	The crack propagation theory under rolling contact
		Technical Note
K. S. Zhang	193	On the necking of a bar of thermoelastic–viscoplastic material under impact tension
	I	Software Survey Section

NUMBER 2

Wang Xi	199	A mathematical treatment for impact test
A. N. Das	205	Trifurcation of a crack due to plane SH-waves in an infinite elastic medium
B. Guha	215	A new fracture mechanics method to predict the fatigue life of welded cruciform joints
Y. W. Kwon and **J. M. Berner**	231	Micromechanics model for damage and failure analyses of laminated fibrous composites
B. D. Davidson and **Hurang Hu**	243	Effect of interlayer modulus on fracture mode ratio for interleaved composite laminates
I. V. Orynyak and **V. M. Torop**	255	Phenomenological modelling of a brittle-to-ductile transition for bodies with cracks
S. Rahman	265	A stochastic model for elastic–plastic fracture analysis of circumferential through-wall-cracked pipes subject to bending
Diao Xiaoxue, Xing Xiusan and **Ding Hongzhi**	289	Nonequilibrium statistical theory of inhomogeneous damage
M. Darvish and **S. Johansson**	295	Fatigue crack growth studies under combination of single overload and cyclic condensation environment
S. K. Maiti and **A.-H. I. Mourad**	321	Criterion for mixed mode stable crack growth—I. Three point bend geometry
S. K. Maiti and **A.-H. I. Mourad**	349	Criterion for mixed mode stable crack growth—II. Compact tension geometry with and without stiffener
X. M. Kong, N. Schlüter and **W. Dahl**	379	Effect of triaxial stress on mixed-mode fracture
	I	Software Survey Section

NUMBER 3

M. L. Ayari and **Zhiming Ye**	389	Maximum strain theory for mixed mode crack propagation in anisotropic solids
J. Smith, M. N. Bassim and **C. D. Liu**	401	Effects of fatigue precracking on stretch zone formation
W. M. Hasan	409	Crack detection from the variation of the eigen-frequencies of a beam on elastic foundation
T. Tanaka	423	Reliability analysis of structural components under fatigue environment including random overloads

K. S. Kim and **R. H. Van Stone**	433	Hold time crack growth analysis at elevated temperatures
N. P. O'Dowd	445	Applications of two parameter approaches in elastic–plastic fracture mechanics
T. S. Srivatsan, W. O. Soboyejo and **R. J. Lederich**	467	The cyclic fatigue and fracture behavior of a titanium alloy metal matrix composite
Kwang Sung Woo and **Chae Gue Lee**	493	*p*-Version finite element approximations of stress intensity factors for cracked plates including shear deformation
T. Boukharouba, T. Tamine, L. Niu, C. Chehimi and **G. Pluvinage**	503	The use of notch stress intensity factor as a fatigue crack initiation parameter
R. Nahta and **B. Moran**	513	Crack spacing in brittle films on dissimilar planar and axisymmetric elastic substrates
Gang Han, M. A. Sutton, Yuh J. Chao and **J. S. Lyons**	525	A study of stable crack growth in thin SEC specimens of 304 stainless steel by computer vision
G. B. Palmer and **G. Baker**	557	Variation of fracture energies G_{IC}, γ_{wof}, J_{IC} with specimen size and pre-fired temperature in a low cement refractory

Technical Notes

N. I. Ioakimidis	571	Computer-aided quantifier elimination in crack problems under constraints for the stress intensity factors
K. S. Zhang	575	Fracture prediction and necking analysis
	I	Software Survey Section

NUMBER 4

P. S. Theocaris	583	The axisymmetric buckling parameters in flexed plates as determined by caustics
J. Tong, J. R. Yates and **M. W. Brown**	599	A model for sliding mode crack closure. Part I: theory for pure mode II loading
J. Tong, J. R. Yates and **M. W. Brown**	613	A model for sliding mode crack closure. Part II: mixed mode I and II loading and application
K. J. J. M. Zaal, B. van Wimersma Greidanus and **A. Vlot**	625	On the application of finite element techniques in the displacement compatibility method

M. Mahinfalah and **L. Zackery**	639	Photoelastic determination of mixed mode stress intensity factors for sharp reentrant corners
A. F. Skipor, S. V. Harren and **J. Botsis**	647	The effect of mechanical constraint on the flow and fracture of 63/37 Sn/Pb eutectic alloy
H. X. Li and **X. R. Xiao**	671	An approach on the Mode-I fracture toughness anisotropy for materials with layered microstructures
G. P. Nikishkov, A. Brückner-Foit and **D. Munz**	685	Calculation of the second fracture parameter for finite cracked bodies using a three-term elastic–plastic asymptotic expansion
K. Sobczyk, J. Trebicki and **B. F. Spencer, Jr**	703	Modelling of curvilinear random fatigue crack growth
C. Y. Tang and **W. B. Lee**	717	Damage mechanics applied to elastic properties of polymers
S. E. Mikhailov	731	A functional approach to non-local strength conditions and fracture criteria—I. Body and point fracture
S. E. Mikhailov	745	A functional approach to non-local strength conditions and fracture criteria—II. Discrete fracture
Rao Shiguo and **Xia Yuanming**	755	Dynamic elastic–plastic FEM analysis of a fracture specimen under plane stress state
E. Smith	765	The non-uniqueness of the maximum load J-value with a cohesive zone model of an elastic/softening solid
		Technical Note
T. Fett	773	An analysis of the residual stress intensity factor of Vickers indentation cracks
	I	Software Survey Section

NUMBER 5

H. G. Beom and **S. N. Atluri**	777	Asymptotic analysis of a subinterface crack in dissimilar orthotropic media
Y. Z. Chen and **N. Hasebe**	791	New integration scheme for the branch crack problem
T. Fett	803	Determination of bridging stresses and R-curves from load–displacement curves
D. P. Rooke, S. Acors and **P. Fedelinski**	811	Dynamic effects of breaking stiffeners in cracked structures
S. S. Pageau, P. F. Joseph and **S. B. Biggers, Jr**	821	Singular antiplane stress fields for bonded and disbonded three-material junctions

M. H. Santare, A. D. Crocombe and **G. Anlas**	833	Anisotropic effective moduli of materials with microcracks
J. Smith, M. N. Bassim, C. D. Liu and **T. M. Holden**	843	Measurement of crack tip strains using neutron diffraction
T. Fett	853	Application of the weight function and boundary collocation method to the calculation of initial phase transformation zones
Chien-Ching Ma and **Min-Hwa Liao**	865	Body force weight functions of cracked bodies
T. E. Tay, C. M. Yap and **C. J. Tay**	879	Crack tip and notch tip plastic zone size measurement by the laser speckle technique
Cai Haitao and **Yuan Xiugui**	895	The crack problem of two bonded half orthotropic planes materials
Xuewei Sun, Zuo Sun, Xin Hua and **Ze Tian**	901	A novel method for the measurement of *J* resistance curves
C. P. Jiang and **Y. K. Cheung**	907	Antiplane problems of collinear rigid line inclusions in dissimilar media
Fenghu Wang, X.-L. Zheng and **M. X. Lu**	917	Notch strength of ceramics and statistical analysis
A. Agbossou, I. Cohen and **D. Muller**	923	Effects of interphase and impact strain rates on tensile off-axis behaviour of unidirectional glass fibre composite: experimental results
J. G. Bakuckas, Jr, A. C. W. Lau, T. M. Tan and **J. Awerbuch**	937	Computational methodology to predict damage growth in unidirectional composites—I. Theoretical formulation and numerical implementation
J. G. Bakuckas, Jr, T. M. Tan, A. C. W. Lau and **J. Awerbuch**	953	Computational methodology to predict damage growth in unidirectional composites—II. Case studies
	I	Software Survey Section

NUMBER 6

Mingwen Jiang	971	A damaged evolution model for strain fatigue of ductile metals
Yen-Ling Chung	977	The stress singularity of mode-I crack propagating with transonic speed
S. Tandon, K. T. Faber, Z. P. Bažant and **Y. N. Li**	987	Cohesive crack modeling of influence of sudden changes in loading rate on concrete fracture
P. S. Leevers and **R. E. Morgan**	999	Impact fracture of polyethylene: a non-linear-elastic thermal decohesion model

N. Tada, T. Kitamura and **R. Ohtani**	1015	Probabilistic inverse analysis for predicting the distribution of multiple internal defects
Liu Yongning and **Song Xiaolong**	1029	Crack rotation factor and dynamic fracture measurement
Chai Guozhong, Zhang Kangda and **Wu Dongdi**	1035	Stress intensity factors for semi-elliptical surface cracks in plates and cylindrical pressure vessels using the hybrid boundary element method
Chai Guozhong, Zhang Kangda and **Wu Dongdi**	1055	Stress intensity factors for internal semi-elliptical surface cracks in pressurized thick-walled cylinders using the hybrid boundary element method
Zheng Jian and **Wang Ze-Ping**	1065	Dynamic damage and failure in visco-plastic materials
Jingang Ni and **Xueren Zhang**	1079	Determination of stress intensity factor in ultrasonic fatigue loading by means of dynamic modal analysis and three-dimensional finite element calculation
H. Y. Lee and **C. S. Hong**	1087	A new weight function approach using indirect boundary integral method
E. Z. Wang and **N. G. Shrive**	1107	Brittle fracture in compression: mechanisms, models and criteria
Meng Qingchun and **Zhang Xing**	1127	Analytical-variational and generalized weighted conservative integral method on solution of interfacial cracks with their applications to bi-metal glued joints
Yong Liu	1139	Automatic mesh generation for computing symmetric local stresses by 2D-viscoplastic BEM with modified transfinite method
L. Hoffmann and **S. S. Wang**	1151	Cyclic fatigue crack growth and fracture in knitted randomly oriented short-fiber composite
		Discussion
P. R. Marur	1165	The inertia effect in Charpy impact tests
	I	Software Survey Section
	i	Index to Volume 52